INDEX TO AUTHORS

A

ADELMAN, WILLIAM J., JR. See CUERVO and ADELMAN, 309

ANDREOLI, THOMAS E. See DENNIS, STEAD, and ANDREOLI, 375

B

BARNHILL, ROBERT. See GUTTMAN and BARNHILL, 104

BARNOLA, FLOR V. See VILLEGAS, BARNOLA, and CAMEJO, 548

BORLE, ANDRÉ B. Kinetic analyses of calcium movements in cell cultures. III. Effects of calcium and parathyroid hormone in kidney cells, 163

BOSTEELS, S., VLEUGELS, A., and CARMELIET, E. Choline permeability in cardiac muscle cells of the cat, 602

BRANDT, PHILIP W. See CHIARANDINI, REUBEN, BRANDT, and GRUNDFEST, 640

BRONK, DETLEV W. Introductory remarks. The Jacques Loeb Memorial Lecture, 563

BROWN, JOEL E. See NOLTE and BROWN, 787

BULLOCK, THEODORE HOLMES. The reliability of neurons. The Jacques Loeb Memorial Lecture, 565

C

CAMEJO, GERMÁN. See VILLEGAS, BARNOLA, and CAMEJO, 548

CARMELIET, E. See BOSTEELS, VLEUGELS, and CARMELIET, 602

CEREIJIDO, M. See ROTUNNO, VILALLONGA, FERNÁNDEZ, and CEREIJIDO, 716

CHIARANDINI, DANTE J., REUBEN, JOHN P., BRANDT, PHILIP W., and GRUNDFEST, HARRY. Effects of caffeine on crayfish muscle fibers. I. Activation of contraction and induction of Ca spike electrogenesis, 640

—, —, GIRARDIER, LUCIEN, KATZ, GEORGE M., and GRUNDFEST, HARRY. Effects of caffeine on crayfish muscle fibers. II. Refractoriness and factors influencing recovery (repriming) of contractile responses, 665

CONTI, F. See MAURO, CONTI, DODGE, and SCHOR, 497

COSTANTIN, L. L. The role of sodium current in the radial spread of contraction in frog muscle fibers, 703

CUERVO, LEON ANDRES, and ADELMAN, WILLIAM J., JR. Equilibrium and kinetic properties of the interaction between tetrodotoxin and the excitable membrane of the squid giant axon, 309

CURRAN, PETER F., HAJJAR, JEAN JACQUES, and GLYNN, I. M. The sodium-alanine interaction in rabbit ileum. Effect of alanine on sodium fluxes, 297

—. See HAJJAR, LAMONT, and CURRAN, 277

CURTIS, B. A. Calcium efflux from frog twitch muscle fibers, 243

D

DENNIS, VINCENT W., STEAD, NANCY W., and ANDREOLI, THOMAS E. Molecular aspects of polyene- and sterol-dependent pore formation in thin lipid membranes, 375

DIPOLO, R., SHA'AFI, R. I., and SOLOMON, A. K. Transport parameters in a porous cellulose acetate membrane, 63

DODGE, F. See MAURO, CONTI, DODGE, and SCHOR, 497

E

ECKERT, ROGER, and NAITOH, YUTAKA. Passive electrical properties of *Paramecium* and problems of ciliary coordination, 467

EHRENSTEIN, GERALD, LECAR, HAROLD, and NOSSAL, RALPH. The nature of the negative resistance in bimolecular lipid membranes containing excitability-inducing material, 119

—. See GILBERT and EHRENSTEIN, 822

EISENBERG, R. S., and ENGEL, E. The spatial variation of membrane potential

INDEX TO AUTHORS

A

ADELMAN, WILLIAM J., JR. See CUERVO and ADELMAN, 309

ANDREOLI, THOMAS E. See DENNIS, STEAD, and ANDREOLI, 375

B

BARNHILL, ROBERT. See GUTTMAN and BARNHILL, 104

BARNOLA, FLOR V. See VILLEGAS, BARNOLA, and CAMEJO, 548

BORLE, ANDRÉ B. Kinetic analyses of calcium movements in cell cultures. III. Effects of calcium and parathyroid hormone in kidney cells, 163

BOSTEELS, S., VLEUGELS, A., and CARMELIET, E. Choline permeability in cardiac muscle cells of the cat, 602

BRANDT, PHILIP W. See CHIARANDINI, REUBEN, BRANDT, and GRUNDFEST, 640

BRONK, DETLEV W. Introductory remarks. The Jacques Loeb Memorial Lecture, 563

BROWN, JOEL E. See NOLTE and BROWN, 787

BULLOCK, THEODORE HOLMES. The reliability of neurons. The Jacques Loeb Memorial Lecture, 565

C

CAMEJO, GERMÁN. See VILLEGAS, BARNOLA, and CAMEJO, 548

CARMELIET, E. See BOSTEELS, VLEUGELS, and CARMELIET, 602

CEREIJIDO, M. See ROTUNNO, VILALLONGA, FERNÁNDEZ, and CEREIJIDO, 716

CHIARANDINI, DANTE J., REUBEN, JOHN P., BRANDT, PHILIP W., and GRUNDFEST, HARRY. Effects of caffeine on crayfish muscle fibers. I. Activation of contraction and induction of Ca spike electrogenesis, 640

—, —, GIRARDIER, LUCIEN, KATZ, GEORGE M., and GRUNDFEST, HARRY. Effects of caffeine on crayfish muscle fibers. II. Refractoriness and factors influencing recovery (repriming) of contractile responses, 665

CONTI, F. See MAURO, CONTI, DODGE, and SCHOR, 497

COSTANTIN, L. L. The role of sodium current in the radial spread of contraction in frog muscle fibers, 703

CUERVO, LEON ANDRES, and ADELMAN, WILLIAM J., JR. Equilibrium and kinetic properties of the interaction between tetrodotoxin and the excitable membrane of the squid giant axon, 309

CURRAN, PETER F., HAJJAR, JEAN JACQUES, and GLYNN, I. M. The sodium-alanine interaction in rabbit ileum. Effect of alanine on sodium fluxes, 297

—. See HAJJAR, LAMONT, and CURRAN, 277

CURTIS, B. A. Calcium efflux from frog twitch muscle fibers, 243

D

DENNIS, VINCENT W., STEAD, NANCY W., and ANDREOLI, THOMAS E. Molecular aspects of polyene- and sterol-dependent pore formation in thin lipid membranes, 375

DIPOLO, R., SHA'AFI, R. I., and SOLOMON, A. K. Transport parameters in a porous cellulose acetate membrane, 63

DODGE, F. See MAURO, CONTI, DODGE, and SCHOR, 497

E

ECKERT, ROGER, and NAITOH, YUTAKA. Passive electrical properties of *Paramecium* and problems of ciliary coordination, 467

EHRENSTEIN, GERALD, LECAR, HAROLD, and NOSSAL, RALPH. The nature of the negative resistance in bimolecular lipid membranes containing excitability-inducing material, 119

—. See GILBERT and EHRENSTEIN, 822

EISENBERG, R. S., and ENGEL, E. The spatial variation of membrane potential

near a small source of current in a spherical cell, 736
ENGEL, E. See EISENBERG and ENGEL, 736
EPSTEIN, SAMUEL. See JACOBSON, SMITH, EPSTEIN, and LATIES, 1

F

FERNÁNDEZ, M. See ROTUNNO, VILALLONGA, FERNÁNDEZ, and CEREIJIDO, 716
FREYGANG, W. H., and TRAUTWEIN, W. The structural implications of the linear electrical properties of cardiac Purkinje strands, 524

G

GALEY, WILLIAM R., and VAN BRUGGEN, J. T. The coupling of solute fluxes in membranes, 220
GILBERT, DANIEL L., and EHRENSTEIN, GERALD. Use of a fixed charge model to determine the pK of the negative sites on the external membrane surface, 822
GINZBURG, B. Z. See GINZBURG, SACHS, and GINZBURG, 187
GINZBURG, MARGARET, SACHS, LAURA, and GINZBURG, B. Z. Ion metabolism in a *Halobacterium*. I. Influence of age of culture on intracellular concentrations, 187
GIRARDIER, LUCIEN. See CHIARANDINI, REUBEN, GIRARDIER, KATZ, and GRUNDFEST, 665
GLYNN, I. M. See CURRAN, HAJJAR, and GLYNN, 297
GODT, R. E. See GORDON and GODT, 254
GORDON, A. M., and GODT, R. E. Some effects of hypertonic solutions on contraction and excitation-contraction coupling in frog skeletal muscles, 254
GRUNDFEST, HARRY. See CHIARANDINI, REUBEN, BRANDT, and GRUNDFEST, 640
—. See CHIARANDINI, REUBEN, GIRARDIER, KATZ, and GRUNDFEST, 665
—. See RUIZ-MANRESA, RUARTE, SCHWARTZ, and GRUNDFEST, 33
GUTKNECHT, JOHN, and TOSTESON, D. C. Ionic permeability of thin lipid membranes. Effects of *n*-alkyl alcohols, polyvalent cations, and a secondary amine, 359
GUTTMAN, RITA, and BARNHILL, ROBERT. Oscillation and repetitive firing in squid axons. Comparison of experiments with computations, 104

H

HAJJAR, JEAN JACQUES, LAMONT, ANNE S., and CURRAN, PETER F. The sodium-alanine interaction in rabbit ileum. Effect of sodium on alanine fluxes, 277
—. See CURRAN, HAJJAR, and GLYNN, 297
HARTSHORNE, D. J. Interactions of desensitized actomyosin with tropomyosin, troponin A, troponin B, and polyanions, 585
HOROWICZ, P., TAYLOR, J. W., and WAGGONER, D. M. Fractionation of sodium efflux in frog sartorius muscles by strophanthidin and removal of external sodium, 401

J

JACOBSON, BRUCE S., SMITH, BRUCE N., EPSTEIN, SAMUEL, and LATIES, GEORGE G. The prevalence of carbon-13 in respiratory carbon dioxide as an indicator of the type of endogenous substrate. The change from lipid to carbohydrate during the respiratory rise in potato slices, 1
JOHNSON, ALAN, and ROTHSTEIN, HOWARD. Amphibian lens histones and their relation to the cell cycle, 688

K

KAO, C. Y., and STANFIELD, P. R. Actions of some cations on the electrical properties and mechanical threshold of frog sartorius muscle fibers, 620
KATZ, GEORGE M. See CHIARANDINI, REUBEN, GIRARDIER, KATZ, and GRUNDFEST, 665
KURIYAMA, H., OSA, T., and TASAKI, H. Electrophysiological studies of the antrum muscle fibers of the guinea pig stomach, 48
— and TOMITA, T. The action potential in the smooth muscle of the guinea pig taenia coli and ureter studied by the double sucrose-gap method, 147
KWANT, W. O., and SEEMAN, PHILIP. The erythrocyte ghost is a perfect osmometer, 208

L

LAMONT, ANNE S. See HAJJAR, LAMONT, and CURRAN, 277
LATIES, GEORGE G. See JACOBSON, SMITH, EPSTEIN, and LATIES, 1

LECAR, HAROLD. See EHRENSTEIN, LECAR, and NOSSAL, 119
LEVITAN, H., TAUC, L., and SEGUNDO, J. P. Electrical transmission among neurons in the buccal ganglion of a mollusc, *Navanax inermis*, 484

M

MAURO, A., CONTI, F., DODGE F., and SCHOR, R. Subthreshold behavior and phenomenological impedance of the squid giant axon, 497
MIKULECKY, D. C. See SHA'AFI, RICH, MIKULECKY, and SOLOMON, 427

N

NAITOH, YUTAKA. See ECKERT and NAITOH, 467
NOLTE, JOHN, and BROWN, JOEL E. The spectral sensitivities of single receptor cells in the lateral, median, and ventral eyes of normal and white-eyed *Limulus*, 787
NOSSAL, RALPH. See EHRENSTEIN, LECAR, and NOSSAL, 119

O

OSA, T. See KURIYAMA, OSA, and TASAKI, 48

P

PALMER, ROGER F., and POSEY, VIRGINIA A. Calcium and adenosine triphosphate binding to renal membranes, 89
POSEY, VIRGINIA A. See PALMER and POSEY, 89

R

REUBEN, JOHN P. See CHIARANDINI, REUBEN, BRANDT, and GRUNDFEST, 640
—. See CHIARANDINI, REUBEN, GIRARDIER, KATZ, and GRUNDFEST, 665
RICH, G. T. See SHA'AFI, RICH, MIKULECKY, and SOLOMON, 427
ROTHSTEIN, HOWARD. See JOHNSON and ROTHSTEIN, 688
ROTUNNO, C. A., VILALLONGA, F. A., FERNÁNDEZ, M., and CEREIJIDO, M. The penetration of sodium into the epithelium of the frog skin, 716
RUARTE, ADOLFO C. See RUIZ-MANRESA, RUARTE, SCHWARTZ, and GRUNDFEST, 33
RUIZ-MANRESA, FRANCISCO, RUARTE, ADOLFO C., SCHWARTZ, TOBIAS L., and GRUNDFEST, HARRY. Potassium inactivation and impedance changes during spike electrogenesis in eel electroplaques, 33

S

SACHS, LAURA. See GINZBURG, SACHS, and GINZBURG, 187
SADDLER, H. D. W. The membrane potential of *Acetabularia mediterranea*, 802
SCHOR, R. See MAURO, CONTI, DODGE, and SCHOR, 497
SCHWARTZ, TOBIAS L. See RUIZ-MANRESA, RUARTE, SCHWARTZ, and GRUNDFEST, 33
SEEMAN, PHILIP. See KWANT and SEEMAN, 208
SEGUNDO, J. P. See LEVITAN, TAUC, and SEGUNDO, 484
SHA'AFI, R. I., RICH, G. T., MIKULECKY, D. C., and SOLOMON, A. K. Determination of urea permeability in red cells by minimum method. A test of the phenomenological equations, 427
—. See DIPOLO, SHA'AFI, and SOLOMON, 63
—. See VIEIRA, SHA'AFI, and SOLOMON, 451
SLAYMAN, CAROLYN W., and SLAYMAN, CLIFFORD L. Potassium transport in *Neurospora*. Evidence for a multisite carrier at high pH, 758
SLAYMAN, CLIFFORD L. See SLAYMAN and SLAYMAN, 758
SMITH, BRUCE N. See JACOBSON, SMITH, EPSTEIN, and LATIES, 1
SOLOMON, A. K. See DIPOLO, SHA'AFI, and SOLOMON, 63
—. See SHA'AFI, RICH, MIKULECKY, and SOLOMON, 427
—. See VIEIRA, SHA'AFI, and SOLOMON, 451
STANFIELD, P. R. See KAO and STANFIELD, 620
STEAD, NANCY W. See DENNIS, STEAD, and ANDREOLI, 375

T

TASAKI, H. See KURIYAMA, OSA, and TASAKI, 48
TAUC, L. See LEVITAN, TAUC, and SEGUNDO, 484

TAYLOR, J. W. See HOROWICZ, TAYLOR, and WAGGONER, 401
TOMITA, T. See KURIYAMA and TOMITA, 147
TOSTESON, D. C. See GUTKNECHT and TOSTESON, 359
TRAUTWEIN, W. See FREYGANG and TRAUTWEIN, 524

V

VAN BRUGGEN, J. T. See GALEY and VAN BRUGGEN, 220
VAN ROSSUM, G. D. V. Net movements of calcium and magnesium in slices of rat liver, 18
VARELA, FRANCISCO G., and WIITANEN, WAYNE. The optics of the compound eye of the honeybee (*Apis mellifera*), 336
VIEIRA, F. L., SHA'AFI, R. I., and SOLOMON, A. K. The state of water in human and dog red cell membranes, 451
VILALLONGA, F. A. See ROTUNNO, VILALLONGA, FERNÁNDEZ, and CEREIJIDO, 716
VILLEGAS, RAIMUNDO, BARNOLA, FLOR V., and CAMEJO, GERMÁN. Ionic channels and nerve membrane lipids. Cholesterol-tetrodotoxin interaction, 548
VLEUGELS, A. See BOSTEELS, VLEUGELS, and CARMELIET, 602

W

WAGGONER, D. M. See HOROWICZ, TAYLOR, and WAGGONER, 401
WIITANEN, WAYNE. See VARELA and WIITANEN, 336
WINEGRAD, SAUL. The intracellular site of calcium activation of contraction in frog skeletal muscle, 77

INDEX TO SUBJECTS

A

Abstracts of papers presented at the twenty-third Annual Meeting of the Society of General Physiologists, 137
Acetabularia mediterranea, membrane potential, 802
Actomyosin, desensitized, interactions with tropomyosin, troponin A, troponin B, and polyanions, 855
Adenosine triphosphate and calcium binding to renal membranes, 89
Alanine-sodium interaction in rabbit ileum, effect of alanine on sodium fluxes, 297
— interaction in rabbit ileum, effect of sodium on alanine fluxes, 277
Alcohols, *n*-alkyl, polyvalent cations, and secondary amine, effects on ionic permeability of thin lipid membranes, 359
Amine, secondary, *n*-alkyl alcohols, and polyvalent cations, effects on ionic permeability of thin lipid membranes, 359
Amphibian lens histones, relation to cell cyle, 688
Antrum muscle fibers, guinea pig stomach, electrophysiological studies, 48
Apis mellifera, compound eye, optics, 336
Axon, squid giant, excitable membrane and tetrodotoxin, equilibrium and kinetic properties of interaction between, 309
—, squid giant, subthreshold behavior and phenomenological impedance, 497
Axons, squid, oscillation and repetitive firing in, comparison of experiments with computations, 104

B

Blood cells, red. *See* Erythrocytes.
Buccal ganglion of mollusc, *Navanax inermis*, electrical transmission among neurons in, 484

C

Caffeine, effects on crayfish muscle fibers, activation of contraction and induction of calcium spike electrogenesis, 640
—, effects on crayfish muscle fibers, refractoriness and factors influencing recovery, repriming, of contractile responses, 665
Calcium activation of contraction in frog skeletal muscle, intracellular site of, 77
— and adenosine triphosphate binding to renal membranes, 89
— efflux from frog twitch muscle fibers, 243
— and magnesium, net movements in rat liver slices, 18
— movements in cell cultures, kinetic analyses, effects of calcium and parathyroid hormone in kidney cells, 163
— spike electrogenesis, induction, and contraction, activation, effects of caffeine on crayfish muscle fibers, 640
Carbohydrate, change from lipid to during respiratory rise in potato slices, prevalence of carbon-13 in respiratory carbon dioxide as indicator of endogenous substrate type, 1
Carbon-13, prevalence in respiratory carbon dioxide as indicator of endogenous substrate type, change from lipid to carbohydrate during respiratory rise in potato slices, 1
Carbon dioxide, respiratory, prevalence of carbon-13 in, as indicator of endogenous substrate type, change from lipid to carbohydrate during respiratory rise in potato slices, 1
Cardiac muscle cells, cat, choline permeability in, 602
— Purkinje strands, structural implications of linear electrical properties, 524
Cell cultures, kinetic analyses of calcium movements in, effects of calcium and parathyroid hormone in kidney cells, 163
— cycle, relation of amphibian lens histones to, 688
—, intracellular concentrations, influence of culture age on ion metabolism in *Halobacterium*, 187
—, intracellular site of calcium activation of contraction in frog skeletal muscle, 77
—, spherical, spatial variation of membrane potential near small source of current in, 736

Cells, blood, red. *See* Erythrocytes.
—, cardiac muscle, cat, choline permeability in, 602
—, kidney, effects of calcium and parathyroid hormone in, kinetic analyses of calcium movements in cell cultures, 163
—, receptor, single, in lateral, median, and ventral eyes of normal and white-eyed *Limulus*, spectral sensitivities, 787
Cellulose acetate membrane, porous, transport parameters in, 63
Cholesterol-tetrodotoxin interaction with nerve membrane lipids, ionic channels, 548
Choline permeability in cat cardiac muscle cells, 602
Ciliary coordination, problems of and passive electrical properties of *Paramecium*, 467
Contractile responses, refractoriness and factors influencing recovery, repriming, of, effects of caffeine on crayfish muscle fibers, 665
Contraction and excitation-contraction coupling in frog skeletal muscles, effects of hypertonic solutions on, 254
— in frog muscle fibers, role of sodium current in radial spread of, 703
— in frog skeletal muscle, intracellular site of calcium activation of, 77
— and induction of calcium spike electrogenesis, activation, effects of caffeine on crayfish muscle fibers, 640
Crayfish muscle fibers, effects of caffeine on, activation of contraction and induction of calcium spike electrogenesis, 640
— muscle fibers, effects of caffeine on, refractoriness and factors influencing recovery, repriming, of contractile responses, 665

E

Eel electroplaques, potassium inactivation and impedance changes during spike electrogenesis in, 33
Electrogenesis, calcium spike, induction, and contraction, activation, effects of caffeine on crayfish muscle fibers, 640
—, spike, in eel electroplaques, potassium inactivation and impedance changes during, 33
Electrophysiological studies of antrum muscle fibers of guinea pig stomach, 48
Electroplaques, eel, potassium inactivation and impedance changes during spike electrogenesis in, 33
Epithelium, frog skin, sodium penetration into, 716
Equations, phenomenological, test of, urea permeability determined in red cells by minimum method, 427
Erythrocyte ghost is perfect osmometer, 208
— membranes, human and dog, state of water in, 451
Erythrocytes, urea permeability determined by minimum method, test of phenomenological equations, 427
Excitability-inducing material, nature of negative resistance in bimolecular lipid membranes containing, 119
Excitation-contraction coupling and contraction in frog skeletal muscles, effects of hypertonic solutions on, 254
Eye, compound, of honeybee, *Apis mellifera*, optics of, 336
Eyes, lateral, median, and ventral, of normal and white-eyed *Limulus*, spectral sensitivities of single receptor cells in, 787

F

Fibers, muscle, antrum, guinea pig stomach, electrophysiological studies, 48
—, muscle, crayfish, effects of caffeine on, activation of contraction and induction of calcium spike electrogenesis, 640
—, muscle, crayfish, effects of caffeine on, refractoriness and factors influencing recovery, repriming, of contractile responses, 665
—, muscle, frog, role of sodium current in radial spread of contraction in, 703
—, muscle, sartorius, frog, actions of cations on electrical properties and mechanical threshold of, 620
—, twitch muscle, frog, calcium efflux from, 243
Frog muscle fibers, role of sodium current in radial spread of contraction in, 703
— sartorius muscle fibers, actions of cations on electrical properties and mechanical threshold of, 620
— sartorius muscles, fractionation of sodium efflux by strophanthidin and removal of external sodium, 401
— skeletal muscle, intracellular site of calcium activation of contraction in, 77
— skeletal muscles, effects of hypertonic solutions on contraction and excitation-contraction coupling in, 254
— skin epithelium, sodium penetration into, 716

Frog twitch muscle fibers, calcium efflux from, 243

G

Ganglion, buccal, of mollusc, *Navanax inermis*, electrical transmission among neurons in, 484

H

Halobacterium, ion metabolism in, influence of culture age on intracellular concentrations, 187
Histones, lens, amphibian, relation to cell cycle, 688
Honeybee, *Apis mellifera*, optics of compound eye, 336
Hormone, parathyroid, and calcium, effects in kidney cells, kinetic analyses of calcium movements in cell cultures, 163
Hydrogen ion concentration, high, evidence for multisite carrier at, potassium transport in *Neurospora*, 758

I

Ileum, rabbit, sodium-alanine interaction in, effect of alanine on sodium fluxes, 297
—, rabbit, sodium-alanine interaction in, effect of sodium on alanine fluxes, 277

K

Kidney cells, effects of calcium and parathyroid hormone in, kinetic analyses of calcium movements in cell cultures, 163
— membranes, calcium and adenosine triphosphate binding to, 89

L

Lens histones, amphibian, relation to cell cycle, 688
Limulus, normal and white-eyed, spectral sensitivities of single receptor cells in lateral, median, and ventral eyes of, 787
Lipid, change to carbohydrate during respiratory rise in potato slices, prevalence of carbon-13 in respiratory carbon dioxide as indicator of endogenous substrate type, 1
— membranes, bimolecular, containing excitability-inducing material, nature of negative resistance in, 119
— membranes, thin, ionic permeability, effects of *n*-alkyl alcohols, polyvalent cations, and secondary amine, 359
Lipid membranes, thin, molecular aspects of polyene- and sterol-dependent pore formation in, 375
Lipids, nerve membrane, and ionic channels, cholesterol-tetrodotoxin interaction, 548
Liver slices, rat, net movements of calcium and magnesium in, 18
Loeb, Jacques, Memorial Lecture, introduction to, 563

M

Magnesium and calcium, net movements in rat liver slices, 18
Man and dog red cell membranes, state of water in, 451
Membrane, cellulose acetate, porous, transport parameters in, 63
—, excitable, squid giant axon, and tetrodotoxin, equilibrium and kinetic properties of interaction between, 309
— lipids, nerve, and ionic channels, cholesterol-tetrodotoxin interaction, 548
— potential of *Acetabularia mediterranea*, 802
— potential, spatial variation near small source of current in spherical cell, 736
— surface, external, fixed charge model used to determine pK of negative sites on, 822
Membranes, coupling of solute fluxes in, 220
—, lipid, bimolecular, containing excitability-inducing material, nature of negative resistance in, 119
—, lipid, thin, ionic permeability, effects of *n*-alkyl alcohols, polyvalent cations, and secondary amine, 359
—, lipid, thin, molecular aspects of polyene- and sterol-dependent pore formation in, 375
—, red cell, human and dog, state of water in, 451
—, renal, calcium and adenosine triphosphate binding to, 89
Metabolism, ion, in *Halobacterium*, influence of culture age on intracellular concentrations, 187
Model, fixed charge, used to determine pK of negative sites on external membrane surface, 822
Molecular aspects of polyene- and sterol-dependent pore formation in thin lipid membranes, 375

Mollusc, *Navanax inermis*, electrical transmission among neurons in buccal ganglion of, 484
Muscle cells, cardiac, cat, choline permeability in, 602
— fibers, antrum, guinea pig stomach, electrophysiological studies, 48
— fibers, crayfish, effects of caffeine on, activation of contraction and induction of calcium spike electrogenesis, 640
— fibers, crayfish, effects of caffeine on, refractoriness and factors influencing recovery, repriming, of contractile responses, 665
— fibers, frog, role of sodium current in radial spread of contraction in, 703
— fibers, frog sartorius, actions of cations on electrical properties and mechanical threshold of, 620
— fibers, twitch, frog, calcium efflux from, 243
—, skeletal, frog, intracellular site of calcium activation of contraction in, 77
—, smooth, of guinea pig taenia coli and ureter, action potential studied by double sucrose-gap method, 147
Muscles, sartorius, frog, fractionation of sodium efflux by strophanthidin and removal of external sodium, 401
—, skeletal, frog, effects of hypertonic solutions on contraction and excitation-contraction coupling in, 254

N

Navanax inermis, electrical transmission among neurons in buccal ganglion of, 484
Nerve membrane lipids and ionic channels, cholesterol-tetrodotoxin interaction, 548
Neurons in buccal ganglion of mollusc, *Navanax inermis*, electrical transmission among, 484
—, reliability of, Jacques Loeb Memorial Lecture, 565
Neurospora, potassium transport in, evidence for multisite carrier at high hydrogen ion concentration, 758

O

Optics of compound eye of honeybee, *Apis mellifera*, 336
Oscillation and repetitive firing in squid axons, comparison of experiments with computations, 104
Osmometer, perfect, erythrocyte ghost, 208

P

Paramecium, passive electrical properties and problems of ciliary coordination, 467
Parathyroid hormone and calcium, effects in kidney cells, kinetic analyses of calcium movements in cell cultures, 163
Permeability, choline, in cat cardiac muscle cells, 602
—, ionic, of thin lipid membranes, effects of *n*-alkyl alcohols, polyvalent cations, and secondary amine, 359
—, urea, determined in red cells by minimum method, test of phenomenological equations, 427
Phenomenological equations, test of, urea permeability determined in red cells by minimum method, 427
— impedance and subthreshold behavior of squid giant axon, 497
Physiological, electro-, studies of antrum muscle fibers of guinea pig stomach, 48
Polyene- and sterol-dependent pore formation in thin lipid membranes, molecular aspects of, 375
Pore formation in thin lipid membranes, polyene- and sterol-dependent, molecular aspects of, 375
Potassium inactivation and impedance changes during spike electrogenesis in eel electroplaques, 33
— transport in *Neurospora*, evidence for multisite carrier at high hydrogen ion concentration, 758
Potato slices, change from lipid to carbohydrate during respiratory rise in, prevalence of carbon-13 in respiratory carbon dioxide as indicator of endogenous substrate type, 1
Purkinje strands, cardiac, structural implications of linear electrical properties, 524

R

Renal. *See* Kidney.
Resistance, negative, nature in bimolecular lipid membranes containing excitability-inducing material, 119
Respiratory carbon dioxide, prevalence of carbon-13 in, as indicator of endogenous substrate type, change from lipid to carbohydrate during respiratory rise in potato slices, 1

S

Sartorius muscle fibers, frog, actions of cations on electrical properties and mechanical threshold of, 620
— muscles, frog, fractionation of sodium efflux by strophanthidin and removal of external sodium, 401
Sensitivities, spectral, of single receptor cells in lateral, median, and ventral eyes of normal and white-eyed *Limulus*, 787
Skeletal muscle, frog, intracellular site of calcium activation of contraction in, 77
— muscles, frog, effects of hypertonic solutions on contraction and excitation-contraction coupling in, 254
Skin, epithelium, frog, sodium penetration into, 716
Sodium-alanine interaction in rabbit ileum, effect of alanine on sodium fluxes, 297
— interaction in rabbit ileum, effect of sodium on alanine fluxes, 277
Sodium current, role in radial spread of contraction in frog muscle fibers, 703
— efflux in frog sartorius muscles, fractionation by strophanthidin and removal of external sodium, 401
— penetration into frog skin epithelium, 716
Spectral sensitivities of single receptor cells in lateral, median, and ventral eyes of normal and white-eyed *Limulus*, 787
Squid axons, oscillation and repetitive firing in, comparison of experiments with computations, 104
— giant axon, excitable membrane and tetrodotoxin, equilibrium and kinetic properties of interaction between, 309
— giant axon, subthreshold behavior and phenomenological impedance, 497
Sterol- and polyene-dependent pore formation in thin lipid membranes, molecular aspects of, 375
Stomach, guinea pig, antrum musole fibers, electrophysiological studies, 48
Strophanthidin and removal of external sodium, fractionation of sodium efflux in frog sartorius muscles by, 401

T

Taenia coli and ureter, guinea pig, action potential in smooth muscle studied by double sucrose-gap method, 147
Tetrodotoxin-cholesterol interaction with nerve membrane lipids, ionic channels, 548
Tetrodotoxin and excitable membrane of squid giant axon, equilibrium and kinetic properties of interaction between, 309
Transmission, electrical, among neurons in buccal ganglion of mollusc, *Navanax inermis*, 484
Triphosphate, adenosine, and calcium, binding to renal membranes, 89
Tropomyosin, troponin A, troponin B, and polyanions, interactions of desensitized actomyosin with, 585
Troponin A, tropomyosin, troponin B, and polyanions, interactions of desensitized actomyosin with, 585
— B, tropomyosin, troponin A, and polyanions, interactions of desensitized actomyosin with, 585
Twitch muscle fibers, frog, calcium efflux from, 243

U

Urea permeability determined in red cells by minimum method, test of phenomenological equations, 427
Ureter and taenia coli, guinea pig, action potential in smooth muscle studied by double sucrose-gap method, 147

W

Water, state in human and dog red cell membranes, 451